

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1500	(382/104 or 382/106 or 701/96 or 701/93).ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 16:49
L2	27	L1 and (intervehicle or ((inter or between) near vehicle)) same (edge or contour)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 16:49
S1	138	((vehicle or car or automobile or truck) same (photograph\$5 or imag\$6 or picture) same (distance or displacement) same (speed or velocity)) same (edge or outline or shape)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:00
S2	0	(SHIMOMURA near TOMOKO).in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:09
S3	1	JP near "10267618"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:10
S4	2716	(382/103 or 382/104 or 382/199 or 382/203 or 348/116 or 348/117 or 348/118).ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:28
S5	17	S1 and S4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:28
S6	1698	(vehicle or car or automobile or truck) same (photograph\$5 or imag\$6 or picture) same (distance or displacement) same (speed or velocity)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/03 17:51
S7	0	lu-tome-y.xa.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/03 18:10

S8	44	lu-tom-y.xa.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/03 18:10
S9	15	("4970653" "5075864" "5208750" "5301115" "5410346" "5529138" "5555312" "5581250" "5642106" "5706355" "5880362" "5917937" "5961571" "6081273" "6236412").PN.	USPAT	OR	ON	2004/11/03 18:12
S10	2	"5410346".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 15:42
S11	9678	(vehicle or car or automobile) same (distance or displacement) same (edge or contour)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 16:01
S12	15	S11 same (inter near vehicle) near2 (distance or displacement)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 16:03
S13	40	(vehicle or car or automobile) near3 (width or length) same (inter near vehicle or "intervehicle") near2 (distance or displacement)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 16:22
S14	1	(vehicle or car or automobile) near2 (width or height) same (ratio) same (inter near2 vehicle) near2 (distance or displacement)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 16:35
S15	2	"6477260".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 16:40
S16	5	("5557323" "5606627" "6021209" "6252974" "RE37610").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/07 16:43
S17	3	(edge or contour) same ((width or height) or ((longitudinal\$5 or lateral\$3) near2 spacing)) same (intervehicle or inter adj vehicle) near2 (distance or displacement)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 21:40

S18	72493	(edge or contour) same ((width or height) or ((longitudinal\$5 or lateral\$3) near2 spacing)) same (distance or displacement)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 21:40
S19	1998	S18 same (vehicle or car or automobile)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 21:40
S20	1	(edge or contour) same ((width or height) or ((longitudinal\$5 or lateral\$3) near2 spacing)) with (intervehicle or inter adj vehicle) near2 (distance or displacement)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 21:40
S21	44545	(edge or contour) same ((width or height) or ((longitudinal\$5 or lateral\$3) near2 spacing)) with (distance or displacement)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 21:40
S22	664	(edge or contour) same ((width or height) or ((longitudinal\$5 or lateral\$3) near2 spacing)) with (distance or displacement) with (vehicle or car or automobile)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 21:40
S23	324	(edge or contour) same ((width or height) or ((longitudinal\$5 or lateral\$3) near2 spacing)) near6 (distance or displacement) with (vehicle or car or automobile)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 21:58
S24	225	(edge or contour) with ((width or height) or ((longitudinal\$5 or lateral\$3) near2 spacing)) near6 (distance or displacement) with (vehicle or car or automobile)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 21:41
S25	175	S24 and @ad<"20000922"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 21:41
S26	27	(edge or contour) same (imag\$5 or video) same ((width or height) or ((longitudinal\$5 or lateral\$3) near2 spacing)) near6 (distance or displacement) with (vehicle or car or automobile)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 21:58
S27	5	("5087969" "5555312" "5557543" "5687249" "5825284").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/07 21:59

S28	225	(edge or contour) with ((width or height) or ((longitudinal\$5 or lateral\$3) near2 spacing)) near6 (distance or displacement) with (vehicle or car or automobile)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:34
S29	175	S28 and @ad<"20000922"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:34
S30	4	(S28 or S29) and (cruise near2 control\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:34
S31	1036	(adaptive) near3 (cruise near control)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:36
S32	182	S31 same (inter adj vehicle) or (intervehicle)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:37
S33	58	S31 same ((inter adj vehicle) or (intervehicle))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:37
S34	0	"6-27524"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 10:59
S35	10	"627524"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 11:00
S36	0	JP near "627524"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 11:00
S37	16	"843083"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 11:01

S38	0	JP near "843083"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 11:00
S39	5	"0627524"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 11:01
S40	6	"0843083"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 11:10
S41	7	"1144533"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 11:11
S42	1	"11044533"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 11:11
S43	2	"6053268".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 11:19
S44	4	("4987357" or "5961571").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 11:24
S45	1379	(intervehicle or ((inter or between near vehicle)) same (edge or contour)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 16:49
S46	110	(intervehicle or ((inter or between near vehicle)) near2 (distance or displacement) same (edge or contour)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 16:18
S47	73	(intervehicle or ((inter or between near vehicle)) near2 (distance or displacement) with (ratio)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 16:18

S48	5	S47 same (edge or boundary or contour)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 16:19
-----	---	--	--	----	----	------------------

Day : Saturday
Date: 6/11/2005


PALM INTRANET

Time: 16:58:39

Inventor Name Search Result

Your Search was:

Last Name = YAMAMURA

First Name = TOMOHIRO

Application#	Patent#	Status	Date Filed	Title	Inventor Name 21
11099583	Not Issued	020	04/06/2005	DRIVING ASSIST SYSTEM	YAMAMURA, TOMOHIRO
11012208	Not Issued	030	12/16/2004	OPERATION ASSISTANCE SYSTEM AND METHOD	YAMAMURA, TOMOHIRO
11012165	Not Issued	030	12/16/2004	INTENTION ESTIMATION METHOD AND SYSTEM WITH CONFIDENCE INDICATION	YAMAMURA, TOMOHIRO
11012158	Not Issued	030	12/16/2004	METHOD AND SYSTEM FOR INTENTION ESTIMATION AND OPERATION ASSISTANCE	YAMAMURA, TOMOHIRO
10991472	Not Issued	041	01/01/0001	DRIVER ASSISTING SYSTEM	YAMAMURA, TOMOHIRO
10910657	Not Issued	030	08/04/2004	DRIVING ASSIST SYSTEM FOR VEHICLE	YAMAMURA, TOMOHIRO
10859360	Not Issued	030	06/03/2004	DRIVING ASSIST SYSTEM FOR VEHICLE	YAMAMURA, TOMOHIRO
10856820	Not Issued	030	06/01/2004	RISK POTENTIAL CALCULATION DEVICE AND DRIVING ASSIST SYSTEM	YAMAMURA, TOMOHIRO
10759067	6882915	150	01/20/2004	DRIVING ASSIST SYSTEM	YAMAMURA, TOMOHIRO
10715483	Not Issued	071	11/19/2003	DRIVING ASSIST SYSTEM FOR VEHICLE	YAMAMURA, TOMOHIRO
10462733	Not Issued	071	06/17/2003	DRIVING ASSIST SYSTEM FOR VEHICLE	YAMAMURA, TOMOHIRO
10356500	Not Issued	071	02/03/2003	METHOD AND SYSTEM FOR ASSISTING DRIVER OF MOTOR VEHICLE WITH DECELERATION CONTROL	YAMAMURA, TOMOHIRO
10336802	Not Issued	092	01/06/2003	DRIVING ASSIST SYSTEM AND METHOD WITH	YAMAMURA, TOMOHIRO

				ACCELERATOR PEDAL REACTION FORCE CONTROL	
<u>10226232</u>	Not Issued	094	08/23/2002	DRIVING ASSIST SYSTEM	YAMAMURA, TOMOHIRO
<u>09957038</u>	Not Issued	071	09/21/2001	METHOD AND APPARATUS FOR ESTIMATING INTER- VEHICLE DISTANCE USING RADAR AND CAMERA	YAMAMURA, TOMOHIRO
<u>07735336</u>	<u>5193845</u>	250	07/24/1991	VEHICLE VIBRATION DAMPING FORCE CONTROL SYSTEM	YAMAMURA, TOMOHIRO
<u>07698903</u>	<u>5149131</u>	150	05/13/1991	HYDRAULIC DAMPING DEVICE FOR VEHICLES	YAMAMURA, TOMOHIRO
<u>07689435</u>	Not Issued	161	04/23/1991	HYDRAULIC STABILIZER SYSTEM WITH MEANS FOR VARYING ROLL RIGIDTY IN RESPONSE TO VARIATION OF VEHICLE RUNNING CONDITION	YAMAMURA, TOMOHIRO
<u>07686341</u>	<u>5297646</u>	150	04/17/1991	CONTROL SYSTEM FOR OPTIMIZING OPERATION OF VEHICLE PERFORMANCE/SAFETY ENHANCING SYSTEMS SUCH AS 4WS, 4WD ACTIVE SUSPENSIONS, AND THE LIKE	YAMAMURA, TOMOHIRO
<u>07462408</u>	<u>5044660</u>	150	01/09/1990	SUSPENSION CONTROL SYSTEM FOR AUTOMOTIVE VEHICLE WITH ADJUSTMENT OF WHEEL SLIPPAGE DEPENDENT WHEEL LOAD DISTRIBUTION	YAMAMURA, TOMOHIRO
<u>07454539</u>	<u>4974875</u>	150	12/21/1989	DEVICE FOR CONTROLLING DRIFT OF VEHICLE DURING CORNERING	YAMAMURA, TOMOHIRO

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	<input type="text" value="YAMAMURA"/>	<input type="text" value="TOMOHIRO"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)